



Attorney's Docket No.: 16083-138001

Cofc\$

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Briere et al.
Patent No. : 6,898,092
Issue Date : May 24, 2005
Serial No. : 10/607,511
Filed : June 25, 2003
Title : EMI FILTER

Art Unit : 2838
Examiner : Adolph D. Berhane

Attn.: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAR 28 2006
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION

One or more of the errors identified on the attached Certificate of Correction were made by the applicant. A check for \$100 is enclosed to cover the required fee.

Please apply any other charges or credits to deposit account 06-1050.

Respectfully submitted,

Date: 3/21/06

David L. Feigenbaum
Reg. No. 30,378

Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110
Telephone: (617) 542-5070
Facsimile: (617) 542-8906

21290356.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

03/27/2006 DEMMANU1 00000098 6898092

01 FC:1811

100.00 OP

Date of Deposit

3/21/06
Jamie Kelaher

Signature

Jamie Kelaher
Typed or Printed Name of Person Signing Certificate

MAR 28 2006

Staple
Here
Only**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,898,092
DATED : MAY 24, 2005
INVENTOR(S) : MICHAEL BRIERE, JEFFREY GORDON DUMAS AND BISHARA TAHHAN

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Cover Page:

Under References Cited, Other Publications, L.E. LaWhite and M.F. Schlecht publication, replace "Rippel" with --Ripple--

In the Drawings:

Figure 1, " I_M " should be replaced with -- I_{IN} --

In the Specification:

Column 6, line 54, "ratio N_P/N_T " should be replaced with --ratio N_T/N_P --

Column 8, Line 43, "device L1" should be replaced with --device L--

In the Claims:

Column 10, Line 18, "negative lines" should be replaced with --negative line--

MAILING ADDRESS OF SENDER:

David L. Feigenbaum
Fish & Richardson P.C.
225 Franklin Street
Boston, MA 02110

PATENT NO. 6,898,092

No. of add'l copies

MAR 28 2006